


RECEIVED

Sheet 1 of 4

NOV 20 2003

Express Mail No.: EV 335 857 684 US



TECH CENTER 1600/2900

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

7872-087-999

APPLICATION NO

10/071,349

APPLICANT

Bolognesi et al.

FILING DATE

February 6, 2002

GROUP

1648

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
2	A01	5,464,933	11/07/95	Bolognesi et al.			
1	A02	5,656,480	08/12/97	Wild et al.			
	A03	5,627,023	05/06/97	Bolognesi et al.			
	A04	5,861,490	06/06/95	Bolognesi et al.			
	A05	5,814,519	9/29/98	Bolognesi et al.			
↓	A06	5,196,524	3/23/93	Gustafson et al.			

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
							YES NO
2	B01	WO 99/59615	11/25/99	PCT			
1	B02	WO 96/19495	07/27/96	PCT			
↓	B03	WO 94/28920	11/22/94	PCT			

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

2	C01	Alkhatib G, Combadiere C, Broder CC, Feng Y, Kennedy PE, Murphy PM, Berger EA, 1996, CC CKR5: a RANTES, MIP-1alpha, MIP-1beta receptor as a fusion cofactor for macrophage-tropic HIV-1, Science Jun 28;272(5270):1955-1958.
1	C02	Anderson et al., 1990, A monoclonal antibody reactive with a 15-kDa cytoplasmic granule-associated protein defines subpopulation of CD8 ⁺ T lymphocytes, J. Immunol. 144:574-582.
	C03	Barker et al., 1995, Effects of T _H 1 and T _H 2 cytokines on CD8 ⁺ cell response against human immunodeficiency virus: implications for long term survival, Proc. Natl. Acad. Sci. USA 92:11135-11139.
	C04	Barré-Sinoussi F et al., 1983, Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). Science 220:868-871.
	C05	Bierniasz PD, Cullen BR, 1998, Chemokine receptors and human immunodeficiency virus infection, Front Biosci. Jan 1;3:D44-D58.
	C06	Bleul CC, Farzan M, Choe H, Parolin C, Clark-Lewis I, Sodroski J, Springer TA, 1996, The lymphocyte chemoattractant SDF-1 is a ligand for LESTR/fusin and blocks HIV-1 entry, Nature Aug 29; 382(6594):829-833.
	C07	Brinchmann J et al., 1991, In vitro replication of HIV-1 in naturally infected CD4 ⁺ T cells is inhibited by rIFN α_2 and by a soluble factor secreted by activated CD8 ⁺ T cells, but not by rIFN β , rIFN γ , or recombinant tumor necrosis factor- α . J. Acquired Immune Deficiency Syndrome 4(5):480-488.
	C08	Brinchmann J et al., 1989, Reliable isolation of human immunodeficiency virus from cultures of naturally infected CD4 ⁺ T cells, J. Virological Methods 25:293-300.
	C09	Brinchmann J et al., 1990, CD8 ⁺ T cells inhibit HIV replication in naturally infected CD4 ⁺ T cells, evidence for a soluble inhibitor, J. Immunol. 144:2961-2966.
↓	C10	Burgess R, ed., 1987, Protein Purification, Micro to Macro. Alan R. Liss, New York. pp. 17-26.

NY2: 1464589.2

C11	Cann AJ, ed., 1999, Virus Culture: A Practical Approach. Oxford University Press, New York, pp. 3-4.
C12	Carson K et al., 1994, Companies remain hopeful for vaccines for AIDS despite discouraging results. Gen. Engineering News 14:1,24,34.
C13	Castro B, 1991, Suppression of human immunodeficiency virus replication by CD8 ⁺ cells from infected and uninfected chimpanzees. Cellular Immunology 132:246-255.
C14	Chakrabarti S, Brechling K, Moss B, 1985, Vaccinia virus expression vector: coexpression of beta-galactosidase provides visual screening of recombinant virus plaques, Mol Cell Biol. Dec; 5(12):3403-3409.
C15	Chang T et al., 2002, A soluble factor(s) secreted from CD8 ⁺ T lymphocytes inhibits human immunodeficiency virus type 1 replication through STAT1 activation, J. Virology 76(2):569-581.
C16	Chen et al., 1993, CD8 ⁺ T lymphocyte-mediated inhibition of HIV-1 long terminal repeat transcription: a novel antiviral mechanism. AIDS Res. Hum. Retroviruses 9:1079-1086.
C17	Chen BK, Saksela K, Andino R, Baltimore D, 1994, Distinct modes of human immunodeficiency virus type 1 proviral latency revealed by superinfection of nonproductively infected cell lines with recombinant luciferase-encoding viruses, J Virol. Feb;68(2):654-660.
C18	Cocchi F, DeVico AL, Garzino-Demo A, Arya SK, Gallo RC, Lusso P, 1995, Identification of RANTES, MIP-1 alpha, and MIP-1 beta as the major HIV-suppressive factors produced by CD8 ⁺ T cells, Science Dec 15;270(5243):1811-1815.
C19	Cocchi F, DeVico AL, Garzino-Demo A, Cara A, Gallo RC, Lusso P, 1996, The V3 domain of the HIV-1 gp120 envelope glycoprotein is critical for chemokine-mediated blockade of infection, Nat Med. Nov; 2(11):1244-1247.
C20	Coligan JE et al., 1994, Current Protocols in Immunology, John Wiley & Sons, Inc., 7.19.1-7.21.9.
C21	Connor RI, Chen BK, Choe S, Landau NR, 1995, Vpr is required for efficient replication of human immunodeficiency virus type-1 in mononuclear phagocytes, Virology Feb 1;206(2):935-944.
C22	Copeland K et al., 1996, CD8 ⁺ lymphocyte-mediated suppression of HIV-1 LTR-mediated transcription shows no correlation with clinical stage of disease or health status, XIth Int'l Con. AIDS, Vancouver, July 7-12:12 (Abs. Tu,A,395).
C23	Cullen B & Greene W, 1989, Regulatory pathways governing HIV replication, Cell 58:423-426.
C24	Dalgleish et al., 1984, The CD4 (T4) antigen is an essential component of the receptor for the AIDS retrovirus, Nature 312:763-767.
C25	Deng H, Liu R, Ellmeier W, Choe S, Unutmaz D, Burkhardt M, Di Marzio P, Mamon S, Sutton RE, Hill CM, Davis CB, Peiper SC, Schall TJ, Littman DR, Landau NR, 1996, Identification of a major co-receptor for primary isolates of HIV-1, Nature Jun 20;381(6584):661-666.
C26	Donzella GA, Schols D, Lin SW, Este JA, Nagashima KA, Maddon PJ, Allaway GP, Sakmar TP, Henson G, De Clercq E, Moore JP, 1998, AMD3100, a small molecule inhibitor of HIV-1 entry via the CXCR4 co-receptor, Nat Med. 1998 Jan;4(1):72-77.
C27	Dragic T, Litwin V, Allaway GP, Martin SR, Huang Y, Nagashima KA, Cayanan C, Maddon PJ, Koup RA, Moore JP, Paxton WA, HIV-1 entry into CD4 ⁺ cells is mediated by the chemokine receptor CC-CKR-5, Nature. 1996 Jun 20;381(6584):667-673.
C28	Earl PL, Hugin AW, Moss B, 1990, Removal of cryptic poxvirus transcription termination signals from the human immunodeficiency virus type 1 envelope gene enhances expression and immunogenicity of a recombinant vaccinia virus, J Virol. May;64(5):2448-2451.
C29	Endres MJ et al., 1996, CD4-independent infection by HIV-2 is mediated by fusin/CXCR4, Cell Nov 15; 87(4):745-756.
C30	Fahey JL & Schooley R, 1992, Status of immune-based therapies in HIV infection and AIDS, Clin. Exp. Immunol. 88:1-5.
C31	Flexner C, Broyles SS, Earl P, Chakrabarti S, Moss B, 1988, Characterization of human immunodeficiency virus gag/pol gene products expressed by recombinant vaccinia viruses, Virology Oct 166(2):339-349.
C32	Fox, 1994, No winners against AIDS, Bio/Technology 12:128
C33	Gallo et al., 1984, Frequent detection and isolation of cytopathic retroviruses (HTLV-III) from patients with AIDS and at risk for AIDS, Science 224:500-503
C34	Goff S, Traktman P, Baltimore D, 1981, Isolation and properties of Moloney murine leukemia virus mutants: use of a rapid assay for release of virion reverse transcriptase, J Virol. Apr;38(1):239-248.
C35	Hara et al. 1991, Subtractive cDNA cloning using oligo(dT)30-latex and PCR: isolation of cDNA clones specific to undifferentiated human embryonal carcinoma cells, Nucleic Acids Res. Dec;19(25):7097-7104.
C36	Herfort et al. 1991, Simple and efficient subtractive hybridization screening, Biotechniques Nov;11(5):598, 600, 602-604.
C37	Hsu MC, Schutt AD, Holly M, Slice LW, Sherman MI, Richman DD, Potash MJ, Volsky DJ, 1991, Inhibition of HIV

		replication in acute and chronic infections in vitro by a Tat antagonist, Science Dec 20; 254(5039):1799-1802.
	C38	Janeway, CA et al., 1999, Immunobiology: The Immune System in Health and Disease. Current Biology Publications, Garland Publishing, London, pp. 231-234.
	C39	Jung JU, Trimble JJ, King NW, Biesinger B, Fleckenstein BW, Desrosiers RC, 1991, Identification of transforming genes of subgroup A and C strains of Herpesvirus saimiri, Proc Natl Acad Sci U S A. 1991 Aug 15;88(16):7051-7055.
	C40	Kannagi M, Masuda T, Hattori T, Kanoh T, Nasu K, Yamamoto N, Harada S, 1990, Interference with human immunodeficiency virus (HIV) replication by CD8+ T cells in peripheral blood leukocytes of asymptomatic HIV carriers in vitro, J Virol. Jul;64(7):3399-3406.
	C41	Kannagi M et al., 1988, Suppression of simian immunodeficiency virus replication in vitro by CD8+ lymphocytes, J Immunology 140(7):2237-2242.
	C42	Kinter A et al., 1995, Interleukin 2 induces CD8+ T cell-mediated suppression of human immunodeficiency virus replication in CD4+ T cells and this effect overrides its ability to stimulate virus expression, Proc. Natl. Acad. Sci. USA 92:10985-10989.
	C43	Klatzmann et al., 1984, T-Lymphocyte T4 molecule behaves as the receptor for human retrovirus LAV, Nature 312:767-768.
	C44	Kundu S et al., 1992, CD8+ CD11+ suppressor cells in HIV-infected asymptomatic patients: effect on HIV-specific cytotoxicity, Viral Immunol. Spring;5(1):15-25.
	C45	Lacey SF, Weinhold KJ, Chen CH, McDanal C, Oei C, Greenberg ML, 1998, Herpesvirus saimiri transformation of HIV type 1 suppressive CD8+ lymphocytes from an HIV type 1-infected asymptomatic individual, AIDS Res Hum Retroviruses, 1998 Apr 10;14(6):521-531.
	C46	Lacey SF, McDanal CB, Horuk R, Greenberg ML, 1997, The CXCR chemokine stromal cell-derived factor 1 is not responsible for CD8+ T cell suppression of syncytia-inducing strains of HIV-1, Proc Natl Acad Sci U S A. Sep 2;94(18):9842-9847.
	C47	Lacey SF et al., 1994, Herpesvirus saimiri transformation of suppressive CD8+ T-lymphocytes from a HIV+ asymptomatic patient, AIDS Res. and Human Retroviruses 10(Suppl. 3):S70.
	C48	Levy J et al., 1994, Mechanism of CD8+ cell suppression of HIV replication, J. Cell. Biochem. Suppl. 18B:111.
	C49	Mackewicz C et al., 1991, CD8+ lymphocytes from HIV-1 seropositive individuals block HIV replication in CD4+ lymphocytes by inhibiting viral RNA synthesis. Int. Conf. AIDS 7:74.
	C50	Mackewicz C et al., 1991, CD8+ cell anti-HIV activity correlates with the clinical state of the infected individual. J. Clin. Invest. 87:1462-1466.
	C51	Mackewicz C et al., 1992, CD8+ cell anti-HIV activity: non-lytic suppression of virus replication. AIDS Res. Human Retroviruses 8:1039-1050.
	C52	Maddon et al., 1986, The T4 gene encodes the AIDS virus receptor and is expressed in the immune system and the brain, Cell 47:333-348.
	C53	Malim et al., 1988, Immunodeficiency virus rev trans-activator modulates the expression of the viral regulatory genes, Nature 335:181-183.
	C54	Moore JP, Trkola A, Dragic T, 1997, Co-receptors for HIV-1 entry, Curr Opin Immunol. Aug;9(4):551-562.
	C55	Oberlin E, Amara A, Bachelier F, Bessia C, Virelizier JL, Arenzana-Seisdedos F, Schwartz O, Heard JM, Clark-Lewis I, Legler DF, Loetscher M, Baggiolini M, Moser B, 1996, The CXCR chemokine SDF-1 is the ligand for LESTR/fusin and prevents infection by T-cell-line-adapted HIV-1, Nature Aug 29; 382(6594):833-835.
	C56	Old R et al., 1989, Principles of Gene Manipulation, an Introduction to Genetic Engineering. Blackwell Scientific Publications, Oxford. pp. 137-139.
	C57	Pantaleo et al., 1992, Defective clonogenic potential of CD8+ T lymphocytes in patients with AIDS. expansion in vivo of nonclonogenic CD3+ CD8+ DR+ CD25- T Cell Population, J Immunol. 144:1702.
	C58	Powell J et al., 1990, CD8+ T-cell-induced inhibition of retroviral replication is mediated at the transcriptional level, Sym. nonhuman primate models AIDS 8:43.
	C59	Powell J et al., 1991, Regulation of immune activation/retroviral replication by CD8+ T cells, Ann. N.Y. Acad. Sci. USA 636:360-363.
	C60	Powell J et al., 1993, Inhibition of cellular activation of retroviral replication by CD8+ T cells derived from non-human primates, Clin. Exp. Immunol. 91:473-481.
	C61	Srivastava KK, Fernandez-Larsson R, Zinkus DM, Robinson HL, 1991, Human immunodeficiency virus type 1 NL4-3 replication in four T-cell lines: rate and efficiency of entry, a major determinant of permissiveness, J Virol. Jul;65(7):3900-3902.
	C62	Stein D et al., 1993, Immune-based therapeutics: scientific rationale and the promising approaches to the treatment of the human immunodeficiency virus-infected individual, Clin. Infect. Dis. 17:749-771.
	C63	Teich et al., 1984, Pathogenesis of lentivirus, in RNA Tumor Viruses, Weiss et al., eds., CSH Press, pp. 949-956.

Express Mail No.: EV 335 857 684 US

C64	Tomaras G & Greenberg M, 2001, CD8 ⁺ T cell mediated noncytolytic inhibition of human immunodeficiency virus type I, <i>Front. Biosci.</i> 6:D575-598.
C65	Tomaras G & Greenberg M, 2001, Mechanisms for HIV-1 entry: current strategies to interfere with this step, <i>Curr Infect Dis Rep.</i> 2001 Feb;3(1):93-99.
C66	Tomaras G et al., 2000, CD8 ⁺ T cell-mediated suppressive activity inhibits HIV-1 after virus entry with kinetics indicating effects on virus gene expression, <i>Proc Natl Acad Sci U S A.</i> Mar 28;97(7):3503-3508.
C67	Tsubota H et al., 1989, CD8 ⁺ CD4 ⁺ lymphocyte lines can harbor the AIDS virus in vitro, <i>J Immunology</i> 143(3):858-863.
C68	Tsubota H et al., 1989, A cytotoxic T lymphocyte inhibits acquired immunodeficiency syndrome virus replication in peripheral blood lymphocytes, <i>J Exp. Med.</i> 169:1421-1434.
C69	Walker et al., 1986, CD8 ⁺ lymphocytes can control HIV infection in vitro by suppressing virus replication. <i>Science</i> 234:1563-1566.
C70	Walker C & Levy J, 1989, A diffusible lymphokine produced by CD8 ⁺ T lymphocytes suppresses HIV replication, <i>Immunology</i> 66:628-630.
C71	Walker CM, Erickson AL, Hsueh FC, Levy JA, 1991, Inhibition of human immunodeficiency virus replication in acutely infected CD4 ⁺ cells by CD8 ⁺ cells involves a noncytotoxic mechanism, <i>J Virol.</i> 1991 Nov; 65(11):5921-5927.
C72	Walker C et al., 1989, CD8 ⁺ T lymphocyte control of HIV replication in cultured CD4 ⁺ cells varies among infected individuals, <i>Cellular Immunology</i> 119:470-475.
C73	Walker C et al., 1991, CD8 ⁺ cells from HIV-1-infected individuals inhibit acute infection by human and primate immunodeficiency viruses, <i>Cellular Immunology</i> 137:420-428.
C74	Wild C, Greenwell T, Matthews T, 1993, A synthetic peptide from HIV-1 gp41 is a potent inhibitor of virus-mediated cell-cell fusion, <i>AIDS Res Hum Retroviruses</i> , Nov;9(11):1051-1053.
C75	Willey RL, Smith DH, Lasky LA, Theodore TS, Earl PL, Moss B, Capón DJ, Martin MA, 1988, In vitro mutagenesis identifies a region within the envelope gene of the human immunodeficiency virus that is critical for infectivity, <i>J Virol.</i> Jan;62(1):139-147.
C76	Wiviott L et al., 1990, CD8 ⁺ lymphocytes suppress HIV production by autologous CD4 ⁺ cells without eliminating the infected cells from culture, <i>Cellular Immunology</i> 128:628-634.
C77	Wong-Staal F & Gallo R, 1985, Human T-lymphotropic retroviruses, <i>Nature</i> 317:395-403.
C78	Zhang L et al., 2002, Contribution of human α -defensin-1, -2, and -3 to the anti-HIV-1 activity of CD8 antiviral factor, <i>Science</i> 298(5595):995-1000.

EXAMINER

DATE CONSIDERED

03/21/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.